

---

[Customize this journal](#) | [Share & collaborate](#) | [Manage your subscription](#) | [About BioMedLib](#)

---

# BioMedLib

## "Who is Publishing in My Domain?"

### Scientific Domain of This Report [\(Modify the domain\)](#)

This report is created for the scientific domain defined by:

**Publications:**

Parés JO, Juan J, Tellez R, Mata A, Moreno C, Quer FX, Suarez D, Codony I, Roca J: **Varicose vein surgery: stripping versus the CHIVA method: a randomized controlled trial.** *Ann Surg*; 2010 Apr;251(4):624-31 . PMID: 20224376.

[Abstract](#) | [More from the authors](#) | [Email 23017jop@comb.cat](#) | [Citation export](#)

**Keywords:**

(no keyword)

---

### Table of Contents [\(View this report online\)](#)

- 1: [Top 20 Articles, in the Domain of Article 20224376, Since its Publication \(2010\)](#)
- 2: [Top 20 Articles, in the Domain of Article 20224376, in the Past 2 Months](#)
- 3: [Top 20 Free-Fulltext Articles, in the Domain of Article 20224376, in the Past 12 Months](#)

---

Note: [blue texts](#) are hyperlinks to webpages outside this document, and [dashed italic texts](#) are links within this document.

# List 1

## Top 20 Articles, in the Domain of Article 20224376, Since its Publication (2010)

► What is this list? Read the [explanation](#).

► Note: when none of the articles in the list is relevant to your topic, this means there haven't been new publications on your topic in this time-frame.

► Note: **orange text** shows articles published within the past 6 months, and **green text** shows articles published within the past 18 months.

### 1. **Varicose vein surgery: stripping versus the CHIVA method: a randomized controlled trial.**

Parés JO, Juan J, Tellez R, Mata A, Moreno C, Quer FX, Suarez D, Codony I, Roca J:  
*Ann Surg*; 2010 Apr;251(4):624-31

[Abstract](#) | [More from the authors](#) | [Email](#) [23017jop@comb.cat](mailto:23017jop@comb.cat) | [Citation export](#)

### 2. **Recurrent varicose veins of the lower limbs after surgery. Role of surgical technique (stripping vs. CHIVA) and surgeon's experience.**

Milone M, Salvatore G, Maietta P, Sosa Fernandez LM, Milone F:  
*G Chir*; 2011 Nov-Dec;32(11-12):460-3

[Abstract](#) | [More from the authors](#) | [Citation export](#)

### 3. **Great saphenous vein radiofrequency ablation versus standard stripping in the management of primary varicose veins-a randomized clinical trial.**

Helmy ElKaffas K, ElKashef O, ElBaz W:  
*Angiology*; 2011 Jan;62(1):49-54

[Abstract](#) | [More from the authors](#) | [Email](#) [kkaffas@hotmail.com](mailto:kkaffas@hotmail.com) | [Citation export](#)

### 4. **Comparable effectiveness of endovenous laser ablation and high ligation with stripping of the great saphenous vein: two-year results of a randomized clinical trial (RELACS study).**

Rass K, Frings N, Glowacki P, Hamsch C, Gräber S, Vogt T, Tilgen W:  
*Arch Dermatol*; 2012 Jan;148(1):49-58

[Abstract](#) | [More from the authors](#) | [Email](#) [knuth.rass@uks.eu](mailto:knuth.rass@uks.eu) | [Citation export](#)

### 5. **Randomized clinical trial comparing endovenous laser ablation, radiofrequency ablation, foam sclerotherapy and surgical stripping for great saphenous varicose veins.**

Rasmussen LH, Lawaetz M, Bjoern L, Vennits B, Blemings A, Eklof B:  
*Br J Surg*; 2011 Aug;98(8):1079-87

[Abstract](#) | [More from the authors](#) | [Email](#) [lhr@varix.dk](mailto:lhr@varix.dk) | [Citation export](#)

### 6. **Randomised clinical trial comparing endovenous laser ablation with stripping of the great saphenous vein: clinical outcome and recurrence after 2 years.**

Rasmussen LH, Bjoern L, Lawaetz M, Lawaetz B, Blemings A, Eklöf B:  
*Eur J Vasc Endovasc Surg*; 2010 May;39(5):630-5

[Abstract](#) | [More from the authors](#) | [Email](#) [Larshrasmussen@yahoo.com](mailto:Larshrasmussen@yahoo.com) | [Citation export](#)

### 7. **[Foam sclerotherapy of the great saphenous vein with sapheno-femoral ligation compared to standard stripping: a prospective randomized controlled trial].**

Jia X, Liu XP, Xiong J, Zhang HP, Liu M, DU X, Zhang MH, Guo W:  
*Zhonghua Wai Ke Za Zhi*; 2010 Nov 15;48(22):1731-4

[Abstract](#) | [More from the authors](#) | [Citation export](#)

### 8. **Ultrasound-guided foam sclerotherapy of the great saphenous vein with sapheno-femoral ligation compared to standard stripping: a prospective clinical study.**

Liu X, Jia X, Guo W, Xiong J, Zhang H, Liu M, Du X, Zhang M:  
*Int Angiol*; 2011 Aug;30(4):321-6

[Abstract](#) | [More from the authors](#) | [Citation export](#)

### 9. Late follow-up of a randomized trial of routine duplex imaging before varicose vein surgery.

Blomgren L, Johansson G, Emanuelsson L, Dahlberg-Åkerman A, Thermaenius P, Bergqvist D:  
*Br J Surg*; 2011 Aug;98(8):1112-6

[Abstract](#) | [More from the authors](#) | [Email](#) [lena.blomgren@karolinska.se](mailto:lena.blomgren@karolinska.se) | [Citation export](#)

### 10. Retrospective comparison of clinical outcomes between endovenous laser and saphenous vein-sparing surgery for treatment of varicose veins.

Chan CY, Chen TC, Hsieh YK, Huang JH:  
*World J Surg*; 2011 Jul;35(7):1679-86

[Abstract](#) | [More from the authors](#) | [Citation export](#)

### 11. Long-term results of a randomized controlled trial on ultrasound-guided foam sclerotherapy combined with saphenofemoral ligation vs standard surgery for varicose veins.

Kalodiki E, Lattimer CR, Azzam M, Shawish E, Bountouroglou D, Geroulakos G:  
*J Vasc Surg*; 2012 Feb;55(2):451-7

[Abstract](#) | [More from the authors](#) | [Citation export](#)

### 12. CHIVA.

Mowatt-Larssen E, Shortell C:  
*Semin Vasc Surg*; 2010 Jun;23(2):118-22

[Abstract](#) | [More from the authors](#) | [Email](#) [eric.mowatt-larssen@duke.edu](mailto:eric.mowatt-larssen@duke.edu) | [Citation export](#)

### 13. Reprinted article "Neovascularisation is the principal cause of varicose vein recurrence: results of a randomised trial of stripping the long saphenous vein".

Jones L, Braithwaite BD, Selwyn D, Cooke S, Earnshaw JJ:  
*Eur J Vasc Endovasc Surg*; 2011 Sep;42 Suppl 1:S57-60

[Abstract](#) | [More from the authors](#) | [Citation export](#)

### 14. A prospective double-blind randomized controlled trial of radiofrequency versus laser treatment of the great saphenous vein in patients with varicose veins.

Nordon IM, Hincliffe RJ, Brar R, Moxey P, Black SA, Thompson MM, Loftus IM:  
*Ann Surg*; 2011 Dec;254(6):876-81

[Abstract](#) | [More from the authors](#) | [Email](#) [inordon@sgul.ac.uk](mailto:inordon@sgul.ac.uk) | [Citation export](#)

### 15. Prospective randomized trial comparing endovenous laser ablation and surgery for treatment of primary great saphenous varicose veins with a 2-year follow-up.

Christenson JT, Gueddi S, Gemayel G, Bounameaux H:  
*J Vasc Surg*; 2010 Nov;52(5):1234-41

[Abstract](#) | [More from the authors](#) | [Email](#) [jan.christenson@hcuge.ch](mailto:jan.christenson@hcuge.ch) | [Citation export](#)

### 16. Clinical and technical outcomes from a randomized clinical trial of endovenous laser ablation compared with conventional surgery for great saphenous varicose veins.

Carradice D, Mekako AI, Mazari FA, Samuel N, Hatfield J, Chetter IC:  
*Br J Surg*; 2011 Aug;98(8):1117-23

[Abstract](#) | [More from the authors](#) | [Email](#) [dan1@doctors.org.uk](mailto:dan1@doctors.org.uk) | [Citation export](#)

### 17. Five-year results of a randomized clinical trial comparing endovenous laser ablation with cryostripping for great saphenous varicose veins.

Disselhoff BC, der Kinderen DJ, Kelder JC, Moll FL:

*Br J Surg*; 2011 Aug;98(8):1107-11

[Abstract](#) | [More from the authors](#) | [Email](mailto:disselhoff@planet.nl) disselhoff@planet.nl | [Citation export](#)

**18. Randomized clinical trial of VNUS ClosureFAST radiofrequency ablation versus laser for varicose veins.**

Shepherd AC, Gohel MS, Brown LC, Metcalfe MJ, Hamish M, Davies AH:

*Br J Surg*; 2010 Jun;97(6):810-8

[Abstract](#) | [More from the authors](#) | [Citation export](#)

**19. Randomised controlled trial comparing sapheno-femoral ligation and stripping of the great saphenous vein with endovenous laser ablation (980 nm) using local tumescent anaesthesia: one year results.**

Pronk P, Gauw SA, Mooij MC, Gaastra MT, Lawson JA, van Goethem AR, van Vlijmen-van Keulen CJ:

*Eur J Vasc Endovasc Surg*; 2010 Nov;40(5):649-56

[Abstract](#) | [More from the authors](#) | [Email](mailto:pascalpronk888@hotmail.com) pascalpronk888@hotmail.com | [Citation export](#)

**20. Surgical management of varicose veins: meta-analysis.**

Brar R, Nordon IM, Hinchliffe RJ, Loftus IM, Thompson MM:

*Vascular*; 2010 Jul-Aug;18(4):205-20

[Abstract](#) | [More from the authors](#) | [Email](mailto:ranjeet@doctors.org.uk) ranjeet@doctors.org.uk | [Citation export](#)

---

[Back to Table of Contents](#)

---

## List 2 Top 20 Articles, in the Domain of Article 20224376, in the Past 2 Months

► Note: when none of the articles in the list is relevant to your topic, this means there haven't been new publications on your topic in this time-frame.

### 1. Validation of a new duplex derived haemodynamic effectiveness score, the saphenous treatment score, in quantifying varicose vein treatments.

Lattimer CR, Kalodiki E, Azzam M, Geroulakos G:  
*Eur J Vasc Endovasc Surg*; 2012 Mar;43(3):348-54

[Abstract](#) | [More from the authors](#) | [Email c.lattimer09@imperial.ac.uk](mailto:c.lattimer09@imperial.ac.uk) | [Citation export](#)

### 2. Prospective randomised comparative study of visual foam sclerotherapy alone or in combination with ultrasound-guided foam sclerotherapy for treatment of superficial venous insufficiency: preliminary report.

Yamaki T, Hamahata A, Soejima K, Kono T, Nozaki M, Sakurai H:  
*Eur J Vasc Endovasc Surg*; 2012 Mar;43(3):343-7

[Abstract](#) | [More from the authors](#) | [Email yamaki@prs.twmu.ac.jp](mailto:yamaki@prs.twmu.ac.jp) | [Citation export](#)

### 3. Diagnosis and follow-up of varicose veins with duplex ultrasound: how and why?

Malgor RD, Labropoulos N:  
*Phlebology*; 2012 Mar;27 Suppl 1:10-5

[Abstract](#) | [More from the authors](#) | [Citation export](#)

### 4. Guidelines for the management of varicose veins.

Gloviczki P, Gloviczki ML:  
*Phlebology*; 2012 Mar;27 Suppl 1:2-9

[Abstract](#) | [More from the authors](#) | [Email gloviczki.peter@mayo.edu](mailto:gloviczki.peter@mayo.edu) | [Citation export](#)

### 5. Lymphatic complications after varicose veins surgery: risk factors and how to avoid them.

Pittaluga P, Chastanet S:  
*Phlebology*; 2012 Mar;27 Suppl 1:139-42

[Abstract](#) | [More from the authors](#) | [Email paulpittaluga@hotmail.com](mailto:paulpittaluga@hotmail.com) | [Citation export](#)

### 6. Results of endovenous ClosureFast treatment for varicose veins in an outpatient setting.

Bisang U, Meier TO, Enzler M, Thalhammer C, Husmann M, Amann-Vesti BR:  
*Phlebology*; 2012;27(3):118-23

[Abstract](#) | [More from the authors](#) | [Email beatrice.amann@usz.ch](mailto:beatrice.amann@usz.ch) | [Citation export](#)

### 7. Superficial vein thrombosis in patients with varicose veins: role of thrombophilia factors, age and body mass.

Karathanos Ch, Sfyroeras G, Drakou A, Roussas N, Exarchou M, Kyriakou D, Giannoukas AD:  
*Eur J Vasc Endovasc Surg*; 2012 Mar;43(3):355-8

[Abstract](#) | [More from the authors](#) | [Citation export](#)

### 8. Plasminogen activator inhibitor -1 levels in patients with primary varicose vein.

Erguzel N, Yetkin E, Erdem G, Erdil N, Yetkin G, Heper G, Celik T, Senen K:  
*Int Angiol*; 2012 Apr;31(2):176-80

[Abstract](#) | [More from the authors](#) | [Email ertanyetkin@hotmail.com](mailto:ertanyetkin@hotmail.com) | [Citation export](#)

### 9. The burden of depression in patients with symptomatic varicose veins.

Sriharan K, Lane TR, Davies AH:  
*Eur J Vasc Endovasc Surg*; 2012 Apr;43(4):480-4

[Abstract](#) | [More from the authors](#) | [Citation export](#)

**10. Comparison of late results of percutaneous coronary intervention among stable patients  $\leq 65$  versus  $> 65$  years of age with an occluded infarct related artery (from the Occluded Artery Trial).**

Skolnick AH, Reynolds HR, White HD, Menon V, Carvalho AC, Maggioni AP, Pearte CA, Gruberg L, Azevedo RE, Schroeder E, Forman SA, Lamas GA, Hochman JS, Džavík V:  
*Am J Cardiol*; 2012 Mar 1;109(5):614-9

[Abstract](#) | [More from the authors](#) | [Email](#) [adam.skolnick@nyumc.org](mailto:adam.skolnick@nyumc.org) | [Citation export](#)

**11. TESPI (Thrombolysis in Elderly Stroke Patients in Italy): a randomized controlled trial of alteplase (rt-PA) versus standard treatment in acute ischaemic stroke in patients aged more than 80 years where thrombolysis is initiated within three hours after stroke onset.**

Lorenzano S, Toni D, TESPI trial Investigators:  
*Int J Stroke*; 2012 Apr;7(3):250-7

[Abstract](#) | [More from the authors](#) | [Email](#) [svetlana.lorenzano@uniroma1.it](mailto:svetlana.lorenzano@uniroma1.it) | [Citation export](#)

**12. Sclerotherapy of varicose veins: my method (HCS).**

Ferrara F, Ferrara G:  
*Minerva Cardioangiol*; 2012 Apr;60(2):125-31

[Abstract](#) | [More from the authors](#) | [Email](#) [frferr@tiscali.it](mailto:frferr@tiscali.it) | [Citation export](#)

**13. Varicose vein surgery.**

Kendler M, Fellmer PT, Wetzig T:  
*J Dtsch Dermatol Ges*; 2012 Mar;10(3):157-62; quiz 163-4

[Abstract](#) | [More from the authors](#) | [Email](#) [michael.kendler@medizin.uni-leipzig.de](mailto:michael.kendler@medizin.uni-leipzig.de) | [Citation export](#)

**14. Treatment options, clinical outcome (quality of life) and cost benefit (quality-adjusted life year) in varicose vein treatment.**

Kelleher D, Lane TR, Franklin IJ, Davies AH:  
*Phlebology*; 2012 Mar;27 Suppl 1:16-22

[Abstract](#) | [More from the authors](#) | [Citation export](#)

**15. Desarda versus lichtenstein technique for primary inguinal hernia treatment: 3-year results of a randomized clinical trial.**

Szopinski J, Dabrowiecki S, Pierscinski S, Jackowski M, Jaworski M, Szuflet Z:  
*World J Surg*; 2012 May;36(5):984-92

[Free fulltext](#) | [Abstract](#) | [More from the authors](#) | [Email](#) [jacek.szopinski@wp.pl](mailto:jacek.szopinski@wp.pl) | [Citation export](#)

**16. Endothelial cell counts after Descemet's stripping automated endothelial keratoplasty versus penetrating keratoplasty in Asian eyes.**

Ang M, Mehta JS, Anshu A, Wong HK, Htoon HM, Tan D:  
*Clin Ophthalmol*; 2012;6:537-44

[Free fulltext](#) | [Abstract](#) | [More from the authors](#) | [Citation export](#)

**17. Minimally invasive treatment of varicose veins: Endovenous laser ablation (EVLA).**

Galanopoulos G, Lambidis C:  
*Int J Surg*; 2012;10(3):134-9

[Abstract](#) | [More from the authors](#) | [Citation export](#)

**18. Early surgical therapy for drug-resistant temporal lobe epilepsy: a randomized trial.**

Engel J Jr, McDermott MP, Wiebe S, Langfitt JT, Stern JM, Dewar S, Sperling MR, Gardiner I, Erba G, Fried I, Jacobs M, Vinters HV, Mintzer S, Kieburz K, Early Randomized Surgical Epilepsy Trial (ERSET) Study Group:  
*JAMA*; 2012 Mar 7;307(9):922-30

[Abstract](#) | [More from the authors](#) | [Email engel@ucla.edu](#) | [Citation export](#)

**19. One vs three years of adjuvant imatinib for operable gastrointestinal stromal tumor: a randomized trial.**

Joensuu H, Eriksson M, Sundby Hall K, Hartmann JT, Pink D, Schütte J, Ramadori G, Hohenberger P, Duyster J, Al-Batran SE, Schlemmer M, Bauer S, Wardelmann E, Sarlomo-Rikala M, Nilsson B, Sihto H, Monge OR, Bono P, Kallio R, Vehtari A, Leinonen M, Alvegård T, Reichardt P:  
*JAMA*; 2012 Mar 28;307(12):1265-72

[Abstract](#) | [More from the authors](#) | [Email heikki.joensuu@hus.fi](#) | [Citation export](#)

**20. Varicose veins: role of mechanotransduction of venous hypertension.**

Atta HM:

*Int J Vasc Med*; 2012;2012:538627

[Free fulltext](#) | [Abstract](#) | [More from the author](#) | [Citation export](#)

---

[Back to Table of Contents](#)

---

## List 3 Top 20 Free-Fulltext Articles, in the Domain of Article 20224376, in the Past 12 Months

► Note: when none of the articles in the list is relevant to your topic, this means there haven't been new publications on your topic in this time-frame.

### 1. Assessment of causes and patterns of recurrent varicose veins after surgery.

Gad MA, Saber A, Hokkam EN:

*N Am J Med Sci*; 2012 Jan;4(1):45-8

[Free fulltext](#) | [Abstract](#) | [More from the authors](#) | [Citation export](#)

### 2. Correlation between the hemodynamic gain obtained after operation of primary varicose veins and chronic venous disease classification.

Dezotti NR, Joviliano EE, Moriya T, Piccinato CE:

*Acta Cir Bras*; 2011;26 Suppl 2:115-9

[Free fulltext](#) | [Abstract](#) | [More from the authors](#) | [Email](#) [neidezotti@yahoo.com.br](mailto:neidezotti@yahoo.com.br) | [Citation export](#)

### 3. Outcomes of elective surgery undertaken in independent sector treatment centres and NHS providers in England: audit of patient outcomes in surgery.

Chard J, Kuczawski M, Black N, van der Meulen J, POiS Audit Steering Committee:

*BMJ*; 2011;343:d6404

[Free fulltext](#) | [Abstract](#) | [More from the authors](#) | [Citation export](#)

### 4. Medium-term results of ultrasonography-guided, catheter-assisted foam sclerotherapy of the long saphenous vein for treatment of varicose veins.

Tan VK, Abidin SZ, Tan SG:

*Singapore Med J*; 2012 Feb;53(2):91-4

[Free fulltext](#) | [Abstract](#) | [More from the authors](#) | [Email](#) [vquetan@gmail.com](mailto:vquetan@gmail.com) | [Citation export](#)

### 5. Donor and surgical risk factors for primary graft failure following Descemet's stripping automated endothelial keratoplasty in Asian eyes.

Ang M, Htoon HM, Cajucom-Uy HY, Tan D, Mehta JS:

*Clin Ophthalmol*; 2011;5:1503-8

[Free fulltext](#) | [Abstract](#) | [More from the authors](#) | [Citation export](#)

### 6. The NKF-NUS hemodialysis trial protocol - a randomized controlled trial to determine the effectiveness of a self management intervention for hemodialysis patients.

Griva K, Mooppil N, Seet P, Krishnan DS, James H, Newman SP:

*BMC Nephrol*; 2011;12:4

[Free fulltext](#) | [Abstract](#) | [More from the authors](#) | [Email](#) [psygk@nus.edu.sg](mailto:psygk@nus.edu.sg) | [Citation export](#)

### 7. Group therapy for adolescents with repeated self harm: randomised controlled trial with economic evaluation.

Green JM, Wood AJ, Kerfoot MJ, Trainor G, Roberts C, Rothwell J, Woodham A, Ayodeji E, Barrett B, Byford S, Harrington R:

*BMJ*; 2011;342:d682

[Free fulltext](#) | [Abstract](#) | [More from the authors](#) | [Email](#) [jonathan.green@manchester.ac.uk](mailto:jonathan.green@manchester.ac.uk) | [Citation export](#)

### 8. Use of weekly, low dose, high frequency ultrasound for hard to heal venous leg ulcers: the VenUS III randomised controlled trial.

Watson JM, Kang'ombe AR, Soares MO, Chuang LH, Worthy G, Bland JM, Iglesias C, Cullum N, Torgerson D, Nelson EA, VenUS III Team:

*BMJ*; 2011;342:d1092



[Free fulltext](#) | [Abstract](#) | [More from the authors](#) | [Citation export](#)

**9. Open reduction and internal fixation versus casting for highly comminuted and intra-articular fractures of the distal radius (ORCHID): protocol for a randomized clinical multi-center trial.**

Bartl C, Stengel D, Bruckner T, Rossion I, Luntz S, Seiler C, Gebhard F:  
*Trials*; 2011;12:84

[Free fulltext](#) | [Abstract](#) | [More from the authors](#) | [Email](#) [chbartl@gmx.de](mailto:chbartl@gmx.de) | [Citation export](#)

**10. A randomized, double-blind, placebo-controlled trial of calcium acetate on serum phosphorus concentrations in patients with advanced non-dialysis-dependent chronic kidney disease.**

Qunibi W, Winkelmayer WC, Solomon R, Moustafa M, Kessler P, Ho CH, Greenberg J, Diaz-Buxo JA:  
*BMC Nephrol*; 2011;12:9

[Free fulltext](#) | [Abstract](#) | [More from the authors](#) | [Email](#) [QUNIBI@UTHSCSA.EDU](mailto:QUNIBI@UTHSCSA.EDU) | [Citation export](#)

**11. The serious mental illness health improvement profile [HIP]: study protocol for a cluster randomised controlled trial.**

White J, Gray RJ, Swift L, Barton GR, Jones M:  
*Trials*; 2011;12:167

[Free fulltext](#) | [Abstract](#) | [More from the authors](#) | [Email](#) [jacqueline.white@hull.ac.uk](mailto:jacqueline.white@hull.ac.uk) | [Citation export](#)

**12. Treatment of myofascial trigger points in patients with chronic shoulder pain: a randomized, controlled trial.**

Bron C, de Gast A, Dommerholt J, Stegenga B, Wensing M, Oostendorp RA:  
*BMC Med*; 2011;9:8

[Free fulltext](#) | [Abstract](#) | [1 citer](#) | [More from the authors](#) | [Email](#) [c.bron@home.nl](mailto:c.bron@home.nl) | [Citation export](#)

**13. Surgery with disc prosthesis versus rehabilitation in patients with low back pain and degenerative disc: two year follow-up of randomised study.**

Hellum C, Johnsen LG, Storheim K, Nygaard OP, Brox JI, Rossvoll I, Rø M, Sandvik L, Grundnes O, Norwegian Spine Study Group:  
*BMJ*; 2011;342:d2786

[Free fulltext](#) | [Abstract](#) | [More from the authors](#) | [Email](#) [christian.hellum@medisin.uio.no](mailto:christian.hellum@medisin.uio.no) | [Citation export](#)

**14. Corticosteroid injections for greater trochanteric pain syndrome: a randomized controlled trial in primary care.**

Brinks A, van Rijn RM, Willemsen SP, Bohnen AM, Verhaar JA, Koes BW, Bierma-Zeinstra SM:  
*Ann Fam Med*; 2011 May-Jun;9(3):226-34

[Free fulltext](#) | [Abstract](#) | [More from the authors](#) | [Email](#) [a.brinks@erasmusmc.nl](mailto:a.brinks@erasmusmc.nl) | [Citation export](#)

**15. Chemotherapy followed by surgery versus surgery alone in patients with resectable oesophageal squamous cell carcinoma: long-term results of a randomized controlled trial.**

Boonstra JJ, Kok TC, Wijnhoven BP, van Heijl M, van Berge Henegouwen MI, Ten Kate FJ, Siersema PD, Dinjens WN, van Lanschot JJ, Tilanus HW, van der Gaast A:  
*BMC Cancer*; 2011;11:181

[Free fulltext](#) | [Abstract](#) | [More from the authors](#) | [Email](#) [jj.boonstra@erasmusmc.nl](mailto:jj.boonstra@erasmusmc.nl) | [Citation export](#)

**16. Intensified treatment with high dose rifampicin and levofloxacin compared to standard treatment for adult patients with tuberculous meningitis (TBM-IT): protocol for a randomized controlled trial.**

Heemskerk D, Day J, Chau TT, Dung NH, Yen NT, Bang ND, Merson L, Olliaro P, Pouplin T, Caws M, Wolbers M, Farrar J:  
*Trials*; 2011;12:25

[Free fulltext](#) | [Abstract](#) | [1 citer](#) | [More from the authors](#) | [Email](#) [dheemskerk@oucru.org](mailto:dheemskerk@oucru.org) | [Citation export](#)

**17. Feasibility and acceptability of a multiple risk factor intervention: the Step Up randomized pilot trial.**

McClure JB, Catz SL, Ludman EJ, Richards J, Riggs K, Grothaus L:  
*BMC Public Health*; 2011;11:167

[Free fulltext](#) | [Abstract](#) | [More from the authors](#) | [Email](#) [mcclure.j@ghc.org](mailto:mcclure.j@ghc.org) | [Citation export](#)

**18. Lansoprazole for secondary prevention of gastric or duodenal ulcers associated with long-term low-dose aspirin therapy: results of a prospective, multicenter, double-blind, randomized, double-dummy, active-controlled trial.**

Sugano K, Matsumoto Y, Itabashi T, Abe S, Sakaki N, Ashida K, Mizokami Y, Chiba T, Matsui S, Kanto T, Shimada K, Uchiyama S, Uemura N, Hiramatsu N:  
*J Gastroenterol*; 2011 Jun;46(6):724-35

[Free fulltext](#) | [Abstract](#) | [More from the authors](#) | [Email](#) [sugano@jichi.ac.jp](mailto:sugano@jichi.ac.jp) | [Citation export](#)

**19. A randomised controlled trial of a cognitive behavioural intervention for women who have menopausal symptoms following breast cancer treatment (MENOS 1): trial protocol.**

Mann E, Smith M, Hellier J, Hunter MS:  
*BMC Cancer*; 2011;11:44

[Free fulltext](#) | [Abstract](#) | [More from the authors](#) | [Citation export](#)

**20. [New advances in the treatment of varicose veins: endovenous radiofrequency VNUS Closure®].**

García-Madrid C, Pastor Manrique JÓ, Gómez Blasco F, Sala Planell E:  
*Cir Esp*; 2011 Aug-Sep;89(7):420-6

[Free fulltext](#) | [Abstract](#) | [More from the authors](#) | [Citation export](#)

---

[Back to Table of Contents](#)

---

# Share & Collaborate

## Share online

Send the following URL to your colleagues, and enable them to see the report online, and share with each other.

<http://wipimd.com/?&stflpg=44c969200c2b34db3e208abbf8cdcd47a6a7d2ef24c94955be64b897fdf6a0cc>

## Collaborate on PDF

Collaborate using the PDF report file. Add **sticky notes** to the PDF report, or **highlight text** within the PDF report, and then send the PDF report file to your colleagues (attach the annotated file to an email and send the email).

All you need is an "Adobe Reader X". Download it for free from the Adobe website,

<http://www.adobe.com/products/reader.html>

---

[Back to Table of Contents](#)

---

# Manage your subscription

Want to modify your subscription record? [Edit your record](#) .

Not interested anymore? [Unsubscribe](#) .

We respect your privacy and do not sell or share your email address with anyone. [Privacy Policy](#).

Disclaimer: The CAN-SPAM Act of 2003 (Controlling the Assault of Non-Solicited Pornography and Marketing Act) establishes requirements for those who send commercial email, spells out penalties for spammers and companies whose products are advertised in spam if they violate the law, and gives consumers the right to ask mailers to stop spamming them. The above mail is in accordance to the Can Spam act of 2003. You can opt out by clicking the link "[Remove](#)" and we ensure you will not receive any such mails from biomedlib.com

Copyright © 2012 by BioMedLib, LLC.

BioMedLib Article Delivery and the BioMedLib Logo are trademarks of BioMedLib, LLC.

If you have general questions or comments, contact us at [custserv@bmlsearch.com](mailto:custserv@bmlsearch.com)

BioMedLib LLC, PO Box 4786, 2150 Wise Street, Charlottesville, VA 22905-9998.

[CommMgrTok:ICD20428TSdxx79kEmxRyo]

[FileName:BML-VaricoseVeinSurgery20224376-20120502.pdf]

---

[Back to Table of Contents](#)

---